

6834-92-0

18662-53-8 7758-29-4

SAFETY DATA SHEET RE NU Evaporator Coil Cleaner (Non-Acid)

Supersedes Revision: 03/15/2023 1. Product and Company Identification Product Code: 1051 Product Name: RE NU Evaporator Coil Cleaner (Non-Acid) Sunbelt Laboratories **Company Name:** Phone Number: P.O. BOX 1563 (281)261-4747 Stafford, TX 77497 www.sunbelt-labs.com Web site address: CHEM-TEL **Emergency Contact:** (800)255-3924 2. Hazards Identification Skin Irritation, Category 2 Eye Irritation, Category 2A **GHS Signal Word:** Warning GHS Hazard Phrases: Causes skin irritation. Causes serious eye irritation. GHS Precautionary Phrases: Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. **GHS Response Phrases:** IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment see ... on this label. If skin irritation occurs, get medical advice/attention. If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash before re-use. GHS Storage and Disposal No phrases apply. Phrases: This material is classified as hazardous under OSHA regulations. **OSHA Regulatory Status: Potential Health Effects** Chronic: May cause liver and kidney damage. Sophisticated modeling has clearly proven that 2-butoxyethanol does not build up in the body under any kinds of normal use. (Acute and Chronic): Inhalation: May be harmful if inhaled. Skin Contact: Causes skin irritation. Harmful if absorbed through the skin. Causes symptoms similar to those of inhalation. Skin sensitization testing with human volunteers produced negative results. Causes eye irritation. Causes redness and pain. Causes eye burns. Eye Contact: Harmful if swallowed. May cause irritation of the digestive tract. May cause Ingestion: gastrointestinal irritation with nausea, vomiting and diarrhea. Causes burns. Composition/Information on Ingredients 3. CAS # Hazardous Components (Chemical Name) Concentration 111-76-2 1.0 -3.0 % Ethanol, 2-Butoxy-

1.01 -4.0 %

0.1 -1.0 %

0.5 -2.0 %

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

Nitrilotriacetic acid, Trisodium salt monohydrate

Silicic acid (H2SiO3), Disodium salt

Sodium phosphate, Tribasic



	Supersedes Revision: 03/15/2023				
68025-51-4 Phosph	nate ester 0.1 -2.0 %				
1310-73-2 Sodium	n hydroxide 0.1 -1.0 %				
	4. First Aid Measures				
Emergency and Firs Procedures:	t Aid				
In Case of Inhalatio	n: Move victim to fresh air.				
In Case of Skin Con	tact: Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.				
In Case of Eye Cont	act: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper an lower eyelids. Consult a physician.				
In Case of Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.				
Signs and Sympton Exposure:	burning sensation , Cough, Wheezing, Laryngitis, Shortness of breath.				
Note to Physician:	Treat symptomatically and supportively. Consult a physician. Show this safety data she to the doctor in attendance.				
	5. Fire Fighting Measures				
Flash Pt:	NE Method Used: Not Applicable				
Explosive Limits:	LEL: No data. UEL: No data.				
Autoignition Pt:	NE				
Suitable Extinguish	ing Media:Use water spray, dry chemical, carbon dioxide, or chemical foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environmen				
Fire Fighting Instruc	ctions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Will burn if involved in fire. Combustible liquid and vapor. Wear self contained breathing apparatus for fire fighting if necessary.				
	Further information: The product itself does not burn.				
Flammable Properti Hazards:	es and No data available.				
	No data available.				
	6. Accidental Release Measures				
Steps To Be Taken Material Is Releasec Spilled:					
	7. Handling and Storage				
Precautions To Be⊺ Handling:	Faken inUse spark-proof tools and explosion proof equipment. Do not get in eyes, on skin, or or clothing. Keep away from heat, sparks and flame. Do not ingest or inhale. Use only in a chemical fume hood. Avoid formation of dust and aerosols.Provide appropriate exhaust ventilation at places where dust is formed.				
Precautions To Be	Taken in Keep away from sources of ignition. Store in a cool, dry place. Keep container tightly				



Page: 3 Printed: 12/14/2023 Revision: 12/14/2023

Supersedes Revision: 03/15/2023

	İ	•	controls/Personal	1		
CAS #	Partial Chemical Name		OSHA TWA	ACGIH TWA	Other Limits	
111-76-2	Ethanol, 2-Butoxy-		PEL: 50 ppm	TLV: 20 ppm	No data.	
6834-92-0	Silicic acid (H2SiO3), Disodium salt		No data.	No data.	No data.	
18662-53-8	Nitrilotriacetic acid, Trisodium salt monohydrate		No data.	No data.	No data.	
7758-29-4	Sodium phosphate, Tribasic		No data.	No data.	No data.	
68025-51-4	Phosphate ester		No data.	No data.	No data.	
1310-73-2	Sodium hydroxide		PEL: 2 mg/m3	CEIL: 2 mg/m3	No data.	
(Specify Type): Standard EN 149. respirator if expose experienced. When a full-face particle		espirator regulations four Jse a NIOSH/MSHA or f re limits are exceeded o e risk assessment shows espirator type N100 (US ering controls. If the resp ir respirator.	European Standard EN r if irritation or other sy s air-purifying respirato) or type P3 (EN 143)	N 149 approved mptoms are ors are appropriate u respirator cartridges		
Eye Protectio	Protection: Wear appropriate OSHA's eye and fa		protective eyeglasses or chemical safety goggles as described by ace protection regulations in 29 CFR 1910.133 or European Standard ld and safety glasses.			
Protective G	loves:	Wear appropriate p	protective gloves to preve	ent skin exposure. Har	ndle with gloves.	
Other Protec	tive Clothing:		rotective clothing to prev nount and concentration	•	• •	
Engineering (Ventilation e			of ventilation equipment. I with an eyewash facility d.	-	-	
Work/Hygien Practices:	ic/Maintenance		ice with good industrial h at the end of workday.	nygiene and safety pra	ctice. Wash hands	
		9. Physical	and Chemical Pro	operties		
Physical Stat	tes:	[]Gas [X]Li	quid [] Solid			
Appearance	and Odor:	green. Clear. butyl-like.				
pH:		13.0				
Melting Point	t:	NE - 1.00 C (33.8 F	F)			
Boiling Point: >		> 212.00 F (100.0 C) / 760 mm Hg.				
Flash Pt:		NE Method Used: Not Applicable				
Evaporation	Rate:	nd				
Flammability	(solid, gas):	No data available.				
Explosive Li	losive Limits: LEL: No		UEL: No d	ata.		
Vapor Pressi mm Hg):	ure (vs. Air or	nd				
Specific Grav Density:	ty (vs. Air = 1): vity (Water = 1):	~ nd G/CM3) F (25.0 C)			
Solubility in ^v	Water:	Complete				



Octanol/Wate Coefficient:	r Partition	No data.					
Percent Volat	tile: 0.84 % by volume.						
Autoignition F		NE					
-	on Temperature: No data.						
Viscosity:	No data.						
Corrosion Rat	ite: Not established						
	10. Stability and Reactivity						
Stability:	Unstable [] Stable [X]						
Conditions To Instability:	Avoid - Incompatible materials, ignition sources, No data available.						
Incompatibilit Avoid:	ility - Materials To Strong oxidizing agents, Aluminum, Lead. Tin/tin oxides, Zinc.						
Hazardous Decomposition or Carbon monoxide, formed under fire conditions. Sodium oxides, silicon oxides. Byproducts:						les.	
Possibility of Reactions:	of Hazardous Will occur [] Will not occur [X]						
Conditions To Hazardous Re	613						
		11. Toxicological Info	rmation				
Toxicological Information: Epidemiology: No information found. Teratogenicity: No information available. Reproductive Effects: Mutagenicity: Neurotoxicity:					/ :		
Carcinogenic		 NTP: Not listed. IARC: Not listed. Carcinogenicity. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. NTP? No IARC Monographs? No OSHA Regulated? No 					
CAS #						OSHA	
111-76-2	Ethanol, 2-Butoxy	n.a.	3	n.a.	n.a.		
6834-92-0	Silicic acid (H2Si	n.a.	n.a.	n.a.	n.a.		
18662-53-8	Nitrilotriacetic aci	Possible	2B	n.a.	n.a.		
7758-29-4	Sodium phosphat	n.a.	n.a.	n.a.	n.a.		
68025-51-4	Phosphate ester	n.a.	n.a.	n.a.	n.a.		
1310-73-2	Sodium hydroxide	n.a.	n.a.	n.a.	n.a.		



12. Ecological Information						
				mornation		
	No data available.					
Persistence a Degradability:						
Bioaccumulat	ulative Potential: No data available.					
Mobility in So	il:	No data available	e			
	13. Disposal Considerations					
		RCRA P-Series: None listed. RCRA U-Series: None listed. Product: Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.				
		Dispose of as un	•			
	PORT (US DOT		ransport	Information		
DOT Haza UN/NA Nu LAND TRANS TDG Shipp AIR TRANSPO	DOT Proper Shipping Name: Not Regulated. DOT Hazard Class: UN/NA Number: LAND TRANSPORT (Canadian TDG): TDG Shipping Name: Not Regulated. AIR TRANSPORT (ICAO/IATA): ICAO/IATA Shipping Name: Sodium hydroxide solution. mixture.					
		15. R	egulatory	/ Information		
EPA SARA (Su	perfund Amendn	nents and Reauthor	rization Act o	f 1986) Lists		
CAS #	Hazardous Com	ponents (Chemical	l Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
111-76-2	Ethanol, 2-Butox	y-		No	No	Yes-Cat. N230
6834-92-0	Silicic acid (H2Si	O3), Disodium salt		No	No	No
18662-53-8	Nitrilotriacetic aci	d, Trisodium salt mo	onohydrate	No	No	No
7758-29-4	Sodium phospha	te, Tribasic		No	Yes NA	No
68025-51-4	Phosphate ester			No	No	No
1310-73-2	Sodium hydroxid	e		No	Yes NA	No
311/312 as indicated:						

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.



Page: 6 id) Printed: 12/14/2023 Revision: 12/14/2023 Supersedes Revision: 03/15/2023

		Supersedes Revision: 03/15/2023		
	[] Yes [X] NoGerm cell n[] Yes [X] NoCarcinogen[] Yes [X] NoReproductiv[] Yes [X] NoSpecific targ[] Yes [X] NoAspiration F[] Yes [X] NoSimple Asp	or Skin Sensitization nutagenicity icity ve toxicity get organ toxicity (single or repeated exposure) Hazard		
CAS # Hazardous Cor	nponents (Chemical Name)	Other US EPA or State Lists		
111-76-2 Ethanol, 2-Buto	ху-	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No		
6834-92-0 Silicic acid (H2S	SiO3), Disodium salt	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No		
18662-53-8 Nitrilotriacetic ad	cid, Trisodium salt monohydrate	CAA HAP,ODC: No CWA NPDES: No TSCA: No CA PROP.65: Yes: Canc.		
7758-29-4 Sodium phosph	ate, Tribasic	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No		
68025-51-4 Phosphate este	r	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No		
1310-73-2 Sodium hydroxi	de	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No		
	16. Other li	ntormation		
Revision Date:	12/14/2023			
Preparer Name: Technical Director 281-2 Hazard Rating System: HEALTH 2 FLAMMABILITY 0 REACTIVITY 1 PPE PPE		1-4747 Flammability Health NFPA: Special Hazard		
Additional Information Abou This Product:	ıt No data available.			
Company Policy or Disclaimer:	There is no assumption of lia information given is designed storage, transportation, dispo	f our knowledge, the information cotained herin is accurate. ability for accuracy contained within this information. The d only as a guidance for safe handlilng, use, processing, osal and release and is not be considered a warranty or ormation relates only to the specific material designated and		
Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc. GHS format				



Page: 7 Printed: 12/14/2023 Revision: 12/14/2023 Supersedes Revision: 03/15/2023

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.