SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

1. Identification

Product identifier: BLAST COIL CLEANER

Other means of identification SDS number: RE1000007260

Recommended restrictions Recommended use: Cleaner Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name:	SUNBELT LABORATORIES
Address:	P.O. BOX 1563
	STAFFORD,TX 77497
	US
Telephone:	281-261-4747

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol	Category 1
Health Hazards	
Serious Eye Damage/Eye Irritation	Category 2A
Skin sensitizer	Category 1

Environmental Hazards

Acute hazards to the aquatic Category 2 environment

Label Elements

Hazard Symbol:



Signal Word:DangerHazard Statement:Extremely flammable aerosol.
Causes serious eye irritation.
May cause an allergic skin reaction.

Toxic to aquatic life.

SDS_US - RE1000007260

	Version: 1.0 Revision Date: 04/22/2021
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.
Response:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of water If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients

Mixtures

CAS number	Content in percent (%)*
5989-27-5	1 - <5%
74-98-6	1 - <5%
106-97-8	1 - <5%
68439-46-3	1 - <3%
-	5989-27-5 74-98-6 106-97-8

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The exact concentration has been withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

Inhalation:	Move to fresh air.
Skin Contact:	If skin irritation occurs: Get medical advice/attention. Destroy or thoroughly clean contaminated shoes. Immediately remove contaminated clothing and shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.
Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Personal Protection for First- aid Responders:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment:	Get medical attention if symptoms occur.	
5. Fire-fighting measures		
General Fire Hazards:	Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.	
Suitable (and unsuitable) exting	guishing media	
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.	
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical:	Vapors may travel considerable distance to a source of ignition and flash back.	
Special protective equipment a	ind precautions for firefighters	
Special fire fighting procedures:	No data available.	
Special protective equipment for fire-fighters:	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.	
6. Accidental release measur	es	
Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind. See Section 8 of the SDS for Personal Protective Equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away.	
Accidental release measures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.	
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.	
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.	
7. Handling and storage		

Handling

Technical measures (e.g. Local No data available. and general ventilation):

Safe handling advice:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with eyes, skin, and clothing.
Contact avoidance measures:	No data available.
Storage	
Safe storage conditions:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 1
Safe packaging materials:	No data available.
Storage Temperature:	No data available.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure L	imit Values.	Source
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values, as amended
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
1,2,3-Propanetriol - Respirable fraction.	TWA		5 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
1,2,3-Propanetriol - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
	TWA		10 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
1,2,3-Propanetriol - Respirable fraction.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended
Bicyclo[3.1.1]heptane, 6,6- dimethyl-2-methylene-	TWA	20 ppm		US. ACGIH Threshold Limit Values, as amended

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Skin and Body Protection:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professional or manufacturer for specific information.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.

Hygiene measures:

Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin.

9. Physical and chemical properties

Appearance	
Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor Threshold:	No data available.
pH:	No data available.
Freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	Estimated -104 °C
Evaporation Rate:	No data available.
Flammability (solid, gas):	No data available.
Explosive limit - upper (%):	Estimated 9.5 %(V)
Explosive limit - lower (%):	Estimated 1.9 %(V)
Vapor pressure:	3,792 - 5,171 hPa (20 °C) 7,584 - 9,652 hPa (54 °C)
Vapor pressure: Vapor density (air=1):	
	7,584 - 9,652 hPa (54 °C)
Vapor density (air=1):	7,584 - 9,652 hPa (54 °C) No data available.
Vapor density (air=1): Density:	7,584 - 9,652 hPa (54 °C) No data available. No data available.
Vapor density (air=1): Density: Relative density:	7,584 - 9,652 hPa (54 °C) No data available. No data available. No data available.
Vapor density (air=1): Density: Relative density: Solubility in Water:	7,584 - 9,652 hPa (54 °C) No data available. No data available. No data available. No data available.
Vapor density (air=1): Density: Relative density: Solubility in Water: Solubility (other):	7,584 - 9,652 hPa (54 °C) No data available. No data available. No data available. No data available. No data available.
Vapor density (air=1): Density: Relative density: Solubility in Water: Solubility (other): Partition coefficient (n-octanol/water):	7,584 - 9,652 hPa (54 °C) No data available. No data available. No data available. No data available. No data available. No data available.
Vapor density (air=1): Density: Relative density: Solubility in Water: Solubility (other): Partition coefficient (n-octanol/water): Self Ignition Temperature:	7,584 - 9,652 hPa (54 °C) No data available. No data available. No data available. No data available. No data available. No data available. No data available.
Vapor density (air=1): Density: Relative density: Solubility in Water: Solubility (other): Partition coefficient (n-octanol/water): Self Ignition Temperature: Decomposition Temperature:	7,584 - 9,652 hPa (54 °C) No data available. No data available.
Vapor density (air=1): Density: Relative density: Solubility in Water: Solubility (other): Partition coefficient (n-octanol/water): Self Ignition Temperature: Decomposition Temperature: Kinematic viscosity:	7,584 - 9,652 hPa (54 °C) No data available. No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	
Symptoms related to the physica	al, chemical and toxicological characteristics	
Inhalation:	No data available.	
Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	
Information on toxicological effe	ects	
Acute toxicity (list all possible	e routes of exposure)	
Oral Product:	ATEmix: 23,148.15 mg/kg	
Dermal Product:	ATEmix: 177,564.1 mg/kg	
Inhalation Product:	Not classified for acute toxicity based on available data.	
Repeated dose toxicity Product:	No data available.	
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)- Propane	NOAEL (Rat(Male), Oral, 13 Weeks): 600 mg/kg Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation	
Butane	Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study	
Alcohols, C9-11, ethoxylated	NOAEL (Rat(Female, Male), Oral, 90 d): >= 500 mg/kg Oral Read-across based on grouping of substances (category approach), Key study	
Skin Corrosion/Irritation Product:	No data available.	
Components: Cyclohexene, 1-methyl- 4-(1-methylethenyl)-, (4R)-	in vivo (Rabbit): Not irritant	
Alcohols, C9-11, ethoxylated	in vivo (Rabbit): Not irritant	
Serious Eye Damage/Eye Irritati Product:	on No data available.	
Components: Cyclohexene, 1-methyl- 4-(1-methylethenyl)-, (4R)-	Rabbit, 24 - 72 hrs: Not irritating	

Respiratory or Skin Sensi Product:	tization No data available.
Carcinogenicity Product:	No data available.
IARC Monographs on the No carcinogenic com	Evaluation of Carcinogenic Risks to Humans: ponents identified
US. National Toxicology F No carcinogenic com	Program (NTP) Report on Carcinogens: ponents identified
US. OSHA Specifically Re No carcinogenic com	gulated Substances (29 CFR 1910.1001-1050), as amended: ponents identified
Germ Cell Mutagenicity	
In vitro Product:	No data available.
In vivo Product:	No data available.
Reproductive toxicity Product:	No data available.
Specific Target Organ Tox Product:	xicity - Single Exposure No data available.
Specific Target Organ To Product:	xicity - Repeated Exposure No data available.
Aspiration Hazard Product:	No data available.
Other effects:	No data available.

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish Product:	No data available.
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)-	EC 50 (Pimephales promelas, 96 h): 688 μ g/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Aquatic Invertebrates Product:	No data available.
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)- Butane	EC 50 (Daphnia magna, 48 h): 0.36 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.074 mg/l Experimental result, Key study LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Chronic hazards to the aquatic environment:

Fish Product:	No data available.	
Components: Alcohols, C9-11, ethoxylated	NOAEL (Pimephales promelas): 0.16 mg/l Read-across based on grouping of substances (category approach), Weight of Evidence study	
Aquatic Invertebrates Product:	No data available.	
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)-	NOAEL (Freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex): 0.115 mg/l QSAR QSAR, Weight of Evidence study	
Alcohols, C9-11, ethoxylated	NOAEL (Daphnia magna): 1.75 mg/I Read-across based on grouping of substances (category approach), Weight of Evidence study	
Toxicity to Aquatic Plants Product:	No data available.	
Persistence and Degradability		
Biodegradation Product:	No data available.	
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)-	80 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Key study	
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study	
Butane	100 % (385.5 h) Detected in water. Experimental result, Key study	
Alcohols, C9-11, ethoxylated	100 % (28 d) Detected in water. Read-across based on grouping of substances (category approach), Weight of Evidence study	
BOD/COD Ratio Product:	No data available.	
Bioaccumulative potential Bioconcentration Factor (BCF) Product: No data available.		
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)-	Bioconcentration Factor (BCF): 864.8 Aquatic sediment QSAR, Key study	
Alcohols, C9-11, ethoxylated	Pimephales promelas, Bioconcentration Factor (BCF): 237 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study	
Partition Coefficient n-octanol / water (log Kow) Product: No data available.		
Components: Cyclohexene, 1-methyl-4- (1-methylethenyl)-, (4R)-	Log Kow: 4.34 - 4.46 25 °C No Experimental result, Supporting study	

		Version: 1.0 Revision Date: 04/22/2021
Alcohols, C9-11, ethoxylated	Log Kow: 3.3 - 3.73 Yes QSAR, Weight of Evidence study	
Mobility in soil:	No data available.	
Components: Cyclohexene, 1-methyl-4-(1 Propane Butane Alcohols, C9-11, ethoxylate		No data available. No data available. No data available. No data available.
Other adverse effects:	Toxic to aquatic organism	ms.
13. Disposal considerations		
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or local laws.	
Contaminated Packaging:	kaging: No data available.	
14. Transport information		
DOT UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group: Special precautions for user: IATA UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Packing Group: Special precautions for user:	UN 1950 Aerosols, flamm 2.1 – Not regulated. UN 1950 Aerosols, flamm 2.1 –	
Special precautions for user: Other information Passenger and cargo aircr Cargo aircraft only:	Not regulated. aft: Allowed. 203 Allowed. 203	
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class: Label(s): EmS No.: Packing Group: Special precautions for user:	UN 1950 Aerosols, flamm 2.1 – – Not regulated.	able

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

UNLISTED HAZARDOUS WASTES CHARACTERISTIC OF IGNITABILITY RCRA HAZARDOUS WASTE NO. D001

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Flammable (gases, aerosols, liquids, or solids), Serious eve damage or eve irritation, Respiratory or Skin Sensitization

US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous **Substances**

None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)-Propane Butane

US. Massachusetts RTK - Substance List No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances **Chemical Identity** Propane Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention Not applicable

SDS_US - RE1000007260

Kyoto protocol Not applicable

Not in compliance with the inventory.
On or in compliance with the inventory
Not in compliance with the inventory.
Not in compliance with the inventory.
On or in compliance with the inventory
Not in compliance with the inventory.
On or in compliance with the inventory
Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

Issue Date:	04/22/2021
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.