

Page: 1

Printed: 06/03/2025 Revision: 06/03/2025

## 1. Product and Company Identification

**Product Code:** 619012A

**Product Name:** Aqua Fresh Deodorizer

Sunbelt Laboratories **Company Name: Phone Number:** P.O. BOX 1563 (281)261-4747

Stafford, TX 77497

www.sunbelt-labs.com Web site address:

CHEM-TEL **Emergency Contact:** (800)255-3924

#### 2. Hazards Identification

Skin Irritation, Category 2 Eye Irritation, Category 2A Flammable Liquids, Category 4



**GHS Signal Word:** Warning

**GHS Hazard Phrases:** Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

GHS Precautionary Phrases: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Specific treatment see ... on this label.

If skin irritation occurs, get medical advice/attention. If eye irritation persists, get medical advice/attention. Take off contaminated clothing and wash it before reuse.

In case of fire, use ... to extinguish.

GHS Storage and Disposal

Store in well-ventilated place. Phrases:

Dispose of contents/container to ...

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

Potential Health Effects

(Acute and Chronic):

Hazards not otherwise classified (HNOC) or not covered by GHS -none.

Chronic: None.

Inhalation: No hazard expected in normal industrial use.

Skin Contact: Non-irritating to the skin. Eye Contact: Non-irritating to the eyes.

No hazard expected in normal industrial use. Ingestion:



Page: 2

Printed: 06/03/2025 Revision: 06/03/2025

3.	Composition/Information on	Ingredients

	<u> </u>		
CAS#	Hazardous Components (Chemical Name)	Concentration	
1300-72-7	Sodium xylenesulfonate	35.0 -40.0 %	
7732-18-5	Water	0.0 -53.0 %	
64-17-5	Ethyl alcohol	5.0 -7.5 %	
94441-92-6	Sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta-alaninate	0.0 -2.0 %	

#### 4. First Aid Measures

Emergency and First Aid

Procedures:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

If breathed in, move person into fresh air. Consult a physician. No specific treatment is In Case of Inhalation:

necessary since this material is not likely to be hazardous by inhalation.

Wash off with soap and plenty of water. Consult a physician. No specific treatment is In Case of Skin Contact:

necessary, since this material is not likely to be hazardous.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. No In Case of Eye Contact:

specific treatment is necessary, since this material is not likely to be hazardous.

Never give anything by mouth to an unconscious person. Rinse mouth with water. In Case of Ingestion:

Consult a physician. No specific treatment is necessary, since this material is expected

to be non-hazardous. Do NOT induce vomiting.

Signs and Symptoms Of

**Exposure:** 

The most important known symptoms and effects are described in the labelling (see

section 2.2) and/or in section 11

Indication of any immediate

medical attention and special

treatment needed:

Note to Physician: Treat symptomatically and supportively.

#### 5. Fire Fighting Measures

> 140.00 F (60.0 C) Method Used: Estimate Flash Point: LEL: No data. UEL: No data. **Explosive Limits:** 

No data available.

> 320.90 C (609.6 F) Autoignition Pt:

Suitable Extinguishing Media:Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Harmonized

System (HS) shipping code 3808.94.

Wear self contained breathing apparatus for fire fighting if necessary. Fire Fighting Instructions:

> Further information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.

Material will not burn.

Flammable Properties and

Hazards:

Carbon oxides, Sulphur oxides.

No data available.



Page: 3 Printed: 06/03/2025 Revision: 06/03/2025

#### 6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures: Use personal protective equipment. Ensure adequate ventilation. For personal protection see section 8. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental Precautions: Steps To Be Taken In Case Material Is Released Or Spilled: Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local

regulations (see section 13).

# 7. Handling and Storage

Precautions To Be Taken in Handling:

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2. No special handling procedures are required. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Precautions To Be Taken in Storing:

Keep container tightly closed in a dry and well-ventilated place. No special storage requirements. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: 2 -8 - 8 deg.C.

Storage class 510)

Other Precautions:

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# 8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.
7732-18-5	Water	No data.	No data.	No data.
64-17-5	Ethyl alcohol	PEL: 1000 ppm	No data.	No data.
94441-92-6	Sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-bet a-alaninate	No data.	No data.	No data.

Respiratory Equipment (Specify Type):

Respirator protection is not normally required. Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi- purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls.

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye Protection:

Eye protection is not normally required. Face shield and safety glasses.

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Protective garments not normally required.

Other Protective Clothing:

Impervious clothing. Protective garments not normally required.

Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. There are no special ventilation requirements.

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format



Page: 4

Printed: 06/03/2025 Revision: 06/03/2025

**Environmental Exposure** 

Controls:

Do not let product enter drains. Prevent further leakage or spillage if safe to do so.

# 9. Physical and Chemical Properties

Physical States: [ ] Gas [X] Liquid [ ] Solid

Emerald. wintergreen odor. Appearance and Odor:

pH: 8.8

Melting Point: -130.00 F (-90.0 C)

**Boiling Point:** > 212.00 F (100.0 C) / 0.000 mm Hg.

> 140.00 F (60.0 C) Method Used: Estimate Flash Point:

No data. **Evaporation Rate:** 

No data available. Flammability (solid, gas):

**Explosive Limits:** LEL: No data. UEL: No data.

No data. Vapor Pressure: Vapor Density (vs. Air=1): No data. Specific Gravity (Water=1): 1.05

~ 0.984 G/CM3 Density:

Solubility in Water: No data. Octanol/Water Partition No data.

Coefficient:

> 320.90 C (609.6 F) Autoignition Pt:

Decomposition Temperature: No data. Viscosity: No data.

## 10. Stability and Reactivity

No data available. Reactivity:

Stability: Unstable [ ] Stable [X]

Conditions To Avoid -

Instability:

No data available. Heat, flames and sparks.

Incompatibility - Materials To Strong oxidizing agents. None.

Avoid:

Hazardous Decomposition or No data available.

In the event of fire: see section 5. None. Byproducts:

Possibility of Hazardous

Will occur [ ] Will not occur [X]

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:



Printed: 06/03/2025 Revision: 06/03/2025

## 11. Toxicological Information

Toxicological Information: Hamster ovary.

Result: negative.

Reproductive toxicity. No data available.

Aspiration hazard: Epidemiology: Teratogenicity: No data available.

Reproductive Effects: Other Studies: Inhalation: Dermal.

Irritation or Corrosion: Skin corrosion/irritation.

Result: Tumorigenic: Tumors at site or application. No skin irritation -24. Eyes: Rabbit.

No data available. Serious eye damage/eye irritation no data available.

No data available. Sensitization:

**Chronic Toxicological** 

Specific target organ toxicity -single exposure (Globally Harmonized System) No data

Effects:

Information:

Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 7732-18-5: Not listed

by ACGIH, IARC, NTP, or CA Prop 65.

CAS # Hazardous Components (Chemical Name)		NTP	IARC	ACGIH	OSHA
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.
7732-18-5	Water	n.a.	n.a.	n.a.	n.a.
64-17-5	Ethyl alcohol	n.a.	1	A4	n.a.
94441-92-6	Sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta-alaninate	n.a.	n.a.	n.a.	n.a.

## 12. Ecological Information

General Ecological

No data available.

Information:

Results of PBT and vPvB

assessment:

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted.

Persistence and

Biodegradability: aerobic -Exposure time 28. Result: 83 -85 % Readily biodegradable. No

Degradability:

data available.

No data available. **Bioaccumulative Potential:** 

No data available. **Mobility in Soil:** 

#### 13. Disposal Considerations

Waste Disposal Method:

Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a

licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste

generators must consult state and local hazardous waste regulations to ensure complete

and accurate classification. RCRA P-Series: None listed.

RCRA U-Series: None listed. Burn in a chemical incinerator equipped with an afterburner

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

**GHS** format

Page: 5



Page: 6 Printed: 06/03/2025

Revision: 06/03/2025

and scrubber but exert extra care in igniting as this material is highly flammable.

# 14. Transport Information

LAND TRANSPORT (US DOT):

**DOT Proper Shipping Name:** Ethanol. mixture.

**DOT Hazard Class:** 3(N) None

UN/NA Number: UN1170 Packing Group: III

LAND TRANSPORT (Canadian TDG):

**TDG Shipping Name:** No information available.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Ethanol. mixture.

### 15. Regulatory Information

#### EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1300-72-7	Sodium xylenesulfonate	No	No	No
7732-18-5	Water	No	No	No
64-17-5	Ethyl alcohol	No	No	No
94441-92-6	Sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta-alaninate	No	No	No

This material meets the E	EPA []Yes [X]No	Explosive	
'Hazard Categories' defir	ned [X] Yes [ ] No	Flammable	(gases, aerosols, liquid, or solid)
for SARA Title III Section	s [] Yes [X] No	Oxidizer (liq	uid, solid or gas)
311/312 as indicated:	[ ] Yes [X] No	Self-reactive	•
	[ ] Yes [X] No	Pyrophoric (	liquid or solid)
	[ ] Yes [X] No	Pyrophoric g	gas
[ ] Yes [X] No Self-heating			
	[ ] Yes [X] No	Organic per	oxide
	[ ] Yes [X] No	Corrosive to	metal
	[ ] Yes [X] No	Gas under p	ressure (compressed gas)
	[ ] Yes [X] No	In contact w	ith water emits flammable gas
	[ ] Yes [X] No	Combustible Dust	
	[ ] Yes [X] No	o (Physical) Hazard Not Otherwise Classified (HNOC)	
	[ ] Yes [X] No	o Acute toxicity (any route of exposure)	
	[X] Yes [ ] No	Skin Corrosi	on or Irritation
	[X] Yes [ ] No	Serious eye	damage or eye irritation
	[ ] Yes [X] No	Respiratory	or Skin Sensitization
	[ ] Yes [X] No	Germ cell m	utagenicity
	[ ] Yes [X] No	Carcinogeni	city
	[ ] Yes [X] No	No Reproductive toxicity	
	[ ] Yes [X] No	<ul><li>[X] No Specific target organ toxicity (single or repeated exposure)</li><li>[X] No Aspiration Hazard</li></ul>	
	[ ] Yes [X] No		
	[ ] Yes [X] No	No Simple Asphyxiant	
	[ ] Yes [X] No	No (Health) Hazard Not Otherwise Classified (HNOC)	
CAS # Hazardous	Components (Chemica	al Name)	Other US EPA or State Lists

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1300-72-7	Sodium xylenesulfonate	CAA HAP,ODC: No
		CWA NPDES: No
		TSCA: Yes - Inventory
		CA PROP.65: No
<del> </del>	<del>!</del>	<del></del>



Page: 7 : 06/03/2025

Printed: 06/03/2025 Revision: 06/03/2025

7732-18-5	Water	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No
64-17-5	Ethyl alcohol	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No
94441-92-6	Sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-beta-alaninate	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No

## 16. Other Information

**Revision Date:** 06/03/2025

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

DISCLAIMER: To the best of our knowledge, the information cotained herin is accurate. There is no assumption of liability for accuracy contained within this information. The information given is designed only as a guidance for safe handlilng, use, processing, storage, transportation, disposal and release and is not be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.