

1. Product and Company Identification

Product Code: 7050
Product Name: Waterless Wood Floor Cleaner
Company Name: Sunbelt Laboratories **Phone Number:** (281)261-4747
 P.O. BOX 1563
 Stafford, TX 77497
Web site address: www.sunbelt-labs.com
Emergency Contact: CHEM-TEL (800)255-3924

2. Hazards Identification

Aspiration Toxicity, Category 2



GHS Signal Word: **Warning**
GHS Hazard Phrases: May be harmful if swallowed and enters airways.
GHS Precautionary Phrases: No phrases apply.
GHS Response Phrases: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.
GHS Storage and Disposal Phrases: Store locked up. Dispose of contents/container to ...
OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.
Potential Health Effects (Acute and Chronic): Chronic: Prolonged or repeated skin contact may cause defatting and dermatitis.
Inhalation: May cause respiratory tract irritation.
Skin Contact: May cause irritation with burning pain, itching and redness.
Eye Contact: May cause eye irritation.
Ingestion: Aspiration hazard. May cause irritation of the digestive tract.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration	
64742-47-8	Hydrotreated light distillate (petroleum)	100.0 %	



SAFETY DATA SHEET

Waterless Wood Floor Cleaner

4. First Aid Measures

Emergency and First Aid
Procedures:

- In Case of Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.
- In Case of Skin Contact:** In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.
- In Case of Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.
- In Case of Ingestion:** Potential for aspiration if swallowed. Get medical aid immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If vomiting occurs naturally, have victim lean forward.
- Note to Physician:** Treat symptomatically and supportively.

5. Fire Fighting Measures

- Flash Pt:** 93.30 C (199.9 F)
- Explosive Limits:** LEL: N/A UEL: N/A
- Autoignition Pt:** NE
- Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or appropriate foam.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool.
- Flammable Properties and Hazards:** No data available.
- No data available.

6. Accidental Release Measures

- Steps To Be Taken In Case Material Is Released Or Spilled:** Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Provide ventilation.

7. Handling and Storage

- Precautions To Be Taken in Handling:** Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat and flame.
- Precautions To Be Taken in Storing:** Keep away from sources of ignition. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m ³	No data.



SAFETY DATA SHEET

Waterless Wood Floor Cleaner

Respiratory Equipment (Specify Type):	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Eye Protection:	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Protective Gloves:	Wear appropriate protective gloves to prevent skin exposure.
Other Protective Clothing:	Wear appropriate protective clothing to prevent skin exposure.
Engineering Controls (Ventilation etc.):	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low.

9. Physical and Chemical Properties

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	green. solvent odor.
pH:	NA
Melting Point:	NA
Boiling Point:	227.00 C (440.6 F) - 288.00 C (550.4 F)
Flash Pt:	93.30 C (199.9 F)
Evaporation Rate:	Negligible
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: N/A UEL: N/A
Vapor Pressure (vs. Air or mm Hg):	0.40 MM_HG
Vapor Density (vs. Air = 1):	6.20
Specific Gravity (Water = 1):	0.82 - 0.83
Solubility in Water:	Negligible.
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	NE
Decomposition Temperature:	NA
Viscosity:	NA
Molecular Formula & Weight:	Solution 0.0

10. Stability and Reactivity

Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	ignition sources.
Incompatibility - Materials To Avoid:	Strong oxidizing agents.
Hazardous Decomposition or Byproducts:	Nitrogen oxides, Carbon monoxide, oxides of sulfur.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. Toxicological Information

Toxicological Information: Epidemiology: No information found.
 Teratogenicity: No information available. Reproductive Effects: Mutagenicity:
 Neurotoxicity:

Carcinogenicity/Other Information: CAS# 64742-47-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	A4	n.a.

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.
 RCRA P-Series: None listed.
 RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Petroleum distillates, n.o.s.
DOT Hazard Class: 3 FLAMMABLE LIQUID
UN/NA Number: UN1268 **Packing Group:** II



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Petroleum distillates, n.o.s.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust


- Yes No (Physical) Hazard Not Otherwise Classified (HNOC)
- Yes No Acute toxicity (any route of exposure)
- Yes No Skin Corrosion or Irritation
- Yes No Serious eye damage or eye irritation
- Yes No Respiratory or Skin Sensitization
- Yes No Germ cell mutagenicity
- Yes No Carcinogenicity
- Yes No Reproductive toxicity
- Yes No Specific target organ toxicity (single or repeated exposure)
- Yes No Aspiration Hazard
- Yes No Simple Asphyxiant
- Yes No (Health) Hazard Not Otherwise Classified (HNOC)

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
64742-47-8	Hydrotreated light distillate (petroleum)	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No

16. Other Information

Revision Date: 05/27/2021

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. There is no assumption of liability for accuracy contained within this information. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.