

SL-801 Porcelain & Stainless Steel cleaner

Printed: 12/14/2023 Revision: 12/14/2023

Page: 1

Supersedes Revision: 03/15/2023

1. Product and Company Identification

Product Code: 8010

Product Name: SL-801 Porcelain & Stainless Steel cleaner

Company Name: Sunbelt Laboratories Phone Number: P.O. BOX 1563 (281)261-4747

Stafford, TX 77497

Web site address: www.sunbelt-labs.com

Emergency Contact: CHEM-TEL (800)255-3924

2. Hazards Identification

Skin Corrosion, Category 1B Eye Irritation, Category 2A



GHS Signal Word: Danger

GHS Hazard Phrases: Causes severe skin burns and eye damage.

Causes serious eye irritation.

GHS Precautionary Phrases: Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin

with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

oreathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment see ... on this label.

If eye irritation persists, get medical advice/attention.

Wash contaminated clothing before reuse.

GHS Storage and Disposal

Store locked up.

Phrases:

Dispose of contents/container to ...

OSHA Regulatory Status:

This material is classified as hazardous under OSHA regulations.

Potential Health Effects

Chronic: Harmonized System (HS) shipping code 3808.94.

(Acute and Chronic):

Acute and Omonic).

Inhalation: Causes chemical burns to the respiratory tract.

Skin Contact: Causes skin burns.

Eye Contact: Causes eye burns.

Ingestion: Causes gastrointestinal tract burns.

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

GHS format



SL-801 Porcelain & Stainless Steel cleaner

SAFETY DATA SHEET Printed: 12/14/2023

> Revision: 12/14/2023 Supersedes Revision: 03/15/2023

Page: 2

3.	Composition	/Information	on Ingredients
•	• • • • • • • • • • • • • • • • • • •	.,	5g. 5 a. 5

CAS#	Hazardous Components (Chemical Name)	Concentration	
7664-38-2	Phosphoric acid	10.0 -20.0 %	
7647-01-0	Hydrochloric acid	0.5 -1.0 %	
111-76-2	Ethanol, 2-Butoxy-	<=1.0 %	
127087-87-0	Ethoxylathed Nonylphenol	0.1 -0.6 %	

4. First Aid Measures

Emergency and First Aid

Do NOT induce vomiting. Do not get in eyes, on skin or clothing. Consult a physician.

Procedures:

In Case of Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately.

If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while In Case of Skin Contact:

removing contaminated clothing and shoes.

Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and In Case of Eye Contact:

lower eyelids. Get medical aid immediately.

Do NOT induce vomiting. Get medical aid immediately. In Case of Ingestion:

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE Method Used: Estimate

LEL: No data. **Explosive Limits:** UEL: No data.

NE Autoignition Pt:

Suitable Extinguishing Media: Use foam, dry chemical, or carbon dioxide.

Unsuitable Extinguishing

No data available.

Media:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, Fire Fighting Instructions:

MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is

noncombustible.

Flammable Properties and

Hazards:

No data available.

Hazardous Combustion

Incompatible materials.

Products:

Accidental Release Measures

Steps To Be Taken In Case

Use proper personal protective equipment as indicated in Section 8.

Material Is Released Or Spilled:

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.

Do not let this chemical enter the environment.

7. Handling and Storage

Precautions To Be Taken in Handling:

Do not breathe dust, vapor, mist, or gas. Do not get in eyes, on skin, or on clothing. Do

not ingest or inhale. Use only in a chemical fume hood.

Precautions To Be Taken in

Store in a cool, dry place. Store in a tightly closed container.

Storing:



SL-801 Porcelain & Stainless Steel cleaner

Revision: 12/14/2023 Supersedes Revision: 03/15/2023

Printed: 12/14/2023

Page: 3

Exposure Controls/Personal Protection

C. Exposure Controls/1 croonary rotection				
CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7664-38-2	Phosphoric acid	PEL: 1 mg/m3	TLV: 1 mg/m3 STEL: 3 mg/m3	No data.
7647-01-0	Hydrochloric acid	CEIL: 5 ppm	CEIL: 2 ppm)	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
127087-87-0	Ethoxylathed Nonylphenol	No data.	No data.	No data.

Respiratory Equipment

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European

(Specify Type):

Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are

experienced.

Eye Protection: Wear chemical splash goggles.

Protective Gloves: Wear appropriate protective gloves to prevent skin exposure. Other Protective Clothing: Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low.

9. Physical and Chemical Properties

[X]Liquid Physical States: [] Gas [] Solid

Cloudy. Appearance and Odor:

Acid-like. butyl-like.

pH: 1.0 Melting Point: NE

Boiling Point: > 212.00 C (413.6 F)

Flash Pt: NE Method Used: Estimate

Evaporation Rate: Not established Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

Not established

Vapor Density (vs. Air = 1): Not established

Specific Gravity (Water = 1): 1.08 at 77.0 F (25.0 C)

Not established Density: Solubility in Water: Complete Octanol/Water Partition No data.

Coefficient:

Percent Volatile: > 90.0 % by volume.

Autoignition Pt: **Decomposition Temperature:** No data. Viscosity: No data.



Printed: 12/14/2023 **SL-801 Porcelain & Stainless Steel cleaner**

Supersedes Revision: 03/15/2023

Revision: 12/14/2023

Page: 4

Not established **Corrosion Rate:**

10. Stability and Reactivity

Stable [X] Stability: Unstable []

Incompatible materials, Metals. Excess heat. Conditions To Avoid -

Instability:

Incompatibility - Materials To Strong oxidizing agents, Reacts with most common metals to produce hydrogen gas. Is

Avoid: corrosive to many materials including leather, rubber, and many organics.

Hazardous Decomposition or Phosphine, oxides of phosphorus, hydrogen gas.

Byproducts:

Possibility of Hazardous

Will not occur [X] Will occur []

Reactions:

Conditions To Avoid -No data available.

Hazardous Reactions:

11. Toxicological Information

Epidemiology: No data available. Toxicological Information:

Teratogenicity: No data available.

Reproductive Effects: Mutagenicity: Neurotoxicity: Other Studies:

Carcinogenicity/Other

CAS# 7664-38-2: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Information:

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7664-38-2	Phosphoric acid	n.a.	n.a.	n.a.	n.a.
7647-01-0	Hydrochloric acid	n.a.	3	Unknown	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	n.a.	n.a.
127087-87-0	Ethoxylathed Nonylphenol	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

Environmental: No information available. General Ecological Information: Physical: No information available.

Other: Do not empty into drains.

13. Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified Waste Disposal Method:

> as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Compounds, cleaning liquid. Phosphoric acid, liquid. (Phosphoric acid, Hydrochloric

acid)

DOT Hazard Class: CORROSIVE 8

NA1760 Ш **UN/NA Number: Packing Group:**



SL-801 Porcelain & Stainless Steel cleaner

Printed: 12/14/2023 Revision: 12/14/2023

Page: 5

Supersedes Revision: 03/15/2023

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

AIR TRANSPORT (ICAO/IATA):

Phosphoric acid, liquid. ICAO/IATA Shipping Name:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7664-38-2	Phosphoric acid	No	Yes NA	No
7647-01-0	Hydrochloric acid	Yes 500 LB	Yes NA	Yes
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
127087-87-0	Ethoxylathed Nonylphenol	No	No	No

This material meets the EPA [] Yes [X] No **Explosive** 'Hazard Categories' defined [] Yes [X] No Flammable (gases, aerosols, liquid, or solid) [] Yes [X] No Oxidizer (liquid, solid or gas) for SARA Title III Sections 311/312 as indicated: [] Yes [X] No Self-reactive [] Yes [X] No Pyrophoric (liquid or solid) [] Yes [X] No Pyrophoric gas [] Yes [X] No Self-heating [] Yes [X] No Organic peroxide [] Yes [X] No Corrosive to metal [] Yes [X] No Gas under pressure (compressed gas) [] Yes [X] No In contact with water emits flammable gas [] Yes [X] No Combustible Dust [] Yes [X] No (Physical) Hazard Not Otherwise Classified (HNOC) [] Yes [X] No Acute toxicity (any route of exposure) [X] Yes [] No Skin Corrosion or Irritation [X] Yes [] No Serious eye damage or eye irritation [] Yes [X] No Respiratory or Skin Sensitization [] Yes [X] No Germ cell mutagenicity [] Yes [X] No Carcinogenicity [] Yes [X] No Reproductive toxicity Specific target organ toxicity (single or repeated exposure) [] Yes [X] No [] Yes [X] No **Aspiration Hazard** Simple Asphyxiant [] Yes [X] No [] Yes [X] No (Health) Hazard Not Otherwise Classified (HNOC)

CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7664-38-2	Phosphoric acid	CAA HAP,ODC: No
		CWA NPDES: No
		TSCA: Yes - Inventory
		CA PROP.65: No
7647-01-0	Hydrochloric acid	CAA HAP,ODC: HAP: NvHAP
		CWA NPDES: No
		TSCA: Yes - Inventory
		CA PROP.65: No
111-76-2	Ethanol, 2-Butoxy-	CAA HAP,ODC: No
		CWA NPDES: No
		TSCA: Yes - Inventory
		CA PROP.65: No
127087-87-0	Ethoxylathed Nonylphenol	CAA HAP,ODC: No



SL-801 Porcelain & Stainless Steel cleaner

Printed: 12/14/2023 Revision: 12/14/2023

Page: 6

Supersedes Revision: 03/15/2023


	CWA NPDES: No TSCA: Yes - Inventory, 8A PAIR CA PROP.65: No
•	

16. Other Information

12/14/2023 **Revision Date:**

Hazard Rating System:

HEALTH FLAMMABILITY 0 **REACTIVITY** 1 **PPE**



HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

DISCLAIMER: To the best of our knowledge, the information cotained herin is accurate. There is no assumption of liability for accuracy contained within this information. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.