

Page: 1 Printed: 12/14/2023 Revision: 12/14/2023

GHS format

Supersedes Revision: 03/15/2023

1. Product and Company Identification

Product Code: S205

Product Name: STEP 3 CHLORINE FINAL RINSE

Company Name: Sunbelt Laboratories Phone Number: P.O. BOX 1563 (281)261-4747

Stafford, TX 77497

Web site address: www.sunbelt-labs.com

Emergency Contact: CHEM-TEL (800)255-3924

2. Hazards Identification

Skin Corrosion, Category 1B



GHS Signal Word: Danger

GHS Hazard Phrases: Causes severe skin burns and eye damage.

GHS Precautionary Phrases: Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling. Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin

with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment see ... on this label. Wash contaminated clothing before reuse.

Collect spillage.

GHS Storage and Disposal

Store locked up.

Phrases:

Dispose of contents/container to ...

OSHA Regulatory Status:
Potential Health Effects

Prolonged or repeated eye contact may cause conjunctivitis.

This material is classified as hazardous under OSHA regulations.

(A seets and Observis):

(Acute and Chronic):

Prolonged or repeated skin contact may cause dermatitis.

Chronic: Effects may be delayed.

Inhalation: Harmful if inhaled. Irritation may lead to chemical pneumonitis and pulmonary edema.

Causes severe irritation of upper respiratory tract with coughing, burns, breathing difficulty, and possible coma. Causes chemical burns to the respiratory tract. Inhalation may be fatal as a result of spasm, inflammation, edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema. Aspiration may lead to pulmonary edema.

Skin Contact: May cause deep, penetrating ulcers of the skin. Causes severe burns with delayed

tissue destruction. Causes redness and pain. May cause skin rash (in milder cases), and

cold and clammy skin with cyanosis or pale color.

Eye Contact: Causes severe eye burns. May cause irreversible eye injury. Contact may cause

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.



Printed: 12/14/2023 Revision: 12/14/2023

Page: 2

Supersedes Revision: 03/15/2023

ulceration of the conjunctiva and cornea. Eye damage may be delayed. Causes redness and pain. When substance becomes wet or comes in contact with moisture of the mucous membranes, it will cause irritation. May cause chemical conjunctivitis and corneal damage. Causes eye irritation.

Ingestion: Harmful if swallowed. May cause severe and permanent damage to the digestive tract.

Causes gastrointestinal tract burns. May cause circulatory system failure. Causes severe digestive tract burns with abdominal pain, vomiting, and possible death. May cause systemic effects. Causes gastrointestinal irritation with nausea, vomiting and diarrhea.

3. Composition/Information on Ingredients

CAS # Hazardous Components (Chemical Name) Concen		Concentration	
7681-52-9	Sodium hypochlorite	100.0 %	

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately.

If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation. If breathing has ceased apply artificial respiration using oxygen and a suitable mechanical

device such as a bag and a mask.

In Case of Skin Contact: Get medical aid immediately. Flush skin with plenty of water for at least 15 minutes while

removing contaminated clothing and shoes. Wash clothing before reuse. Discard contaminated clothing in a manner which limits further exposure. Destroy contaminated shoes. If water-reactive products are embedded in the skin, no water should be applied.

The embedded products should be covered with a light oil.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid immediately. Do NOT allow victim to rub eyes or keep

eyes closed. Extensive irrigation with water is required (at least 30 minutes).

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by

mouth to an unconscious person. Get medical aid immediately.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: NE

Explosive Limits: LEL: No data. UEL: No data.

Autoignition Pt: NE

Suitable Extinguishing Media: Use dry sand or earth to smother fire. Use extinguishing media appropriate to

surrounding fire conditions. DO NOT USE WATER!

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water reactive. Material will react with water and may release a flammable and/or toxic gas. Wear appropriate protective clothing to prevent contact with skin and eyes. Wear a

self-contained breathing apparatus (SCBA) to prevent contact with thermal

decomposition products. Use water with caution and in flooding amounts. Contact with moisture or water may generate sufficient heat to ignite nearby combustible materials. May ignite or explode on contact with steam or moist air. Substance is noncombustible.

Oxidizer. Greatly increases the burning rate of combustible materials.

Flammable Properties and No data available.

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.



Page: 3 Printed: 12/14/2023 Revision: 12/14/2023

Supersedes Revision: 03/15/2023

Hazards:

No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Clean up spills immediately, observing precautions in the Protective Equipment section. Avoid generating dusty conditions. Provide ventilation. Do not expose spill to water. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container.

7. Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Do not allow water to get into the container because of violent reaction. Do not get in eyes, on skin, or on clothing. Keep container tightly closed. Do not ingest or inhale. Do not allow contact with water. Use only in a chemical fume hood. Discard contaminated shoes. Keep from contact with moist air and steam. Avoid breathing dust, mist, or vapor. Avoid contact with clothing and other combustible materials. Avoid ingestion and inhalation. Use with adequate ventilation.

Precautions To Be Taken in Storing:

Keep container closed when not in use. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from water. Corrosives area. Store protected from moisture. Keep refrigerated. (Store below 4°C/39°F.)

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7681-52-9	Sodium hypochlorite	No data.	No data.	No data.

Respiratory Equipment

(Specify Type):

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use. Follow the OSHA respirator regulations found in 29

CFR 1910.134 or European Standard EN 149.

Eye Protection: Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing:

Engineering Controls

(Ventilation etc.):

Wear appropriate protective clothing to prevent skin exposure.

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate general or local exhaust ventilation to keep airborne

concentrations below the permissible exposure limits.



Page: 4
Printed: 12/14/2023
Revision: 12/14/2023

Supersedes Revision: 03/15/2023

9.	Phy:	sical	and	Chem	ical l	Prop	perties
----	------	-------	-----	------	--------	------	---------

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Yellowish.

chlorine-like.

pH: 12 - 12.8

Melting Point: NE

Boiling Point: > 212.00 F (100.0 C)

Flash Pt: NE Evaporation Rate: < 1

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data. UEL: No data.

17.5

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): < 1

Specific Gravity (Water = 1): 1.09 at 77.0 F (25.0 C)

Density: Not established

Solubility in Water: Soluble
Octanol/Water Partition No data.

Coefficient:

Percent Volatile: 70.0 % by volume.

Autoignition Pt: NE

Decomposition Temperature: No data.

Viscosity: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid - dust generation, Exposure to moist air or water, Incompatible materials, Light.

Instability:

Incompatibility - Materials To Moisture, acids, methanol, Metals. Oxidizing agents, Reducing agents, Strong acids, **Avoid:** acids (organic, e.g. acetic acid, benzoic acid, formic acid, methanoic acid, oxalic acid).

Hazardous Decomposition or Oxides of potassium, hydrogen gas. Hydrogen chloride, chlorine, sodium oxide.

Byproducts:

Possibility of Hazardous Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid - Product will not undergo polymerization.

Hazardous Reactions:



Page: 5
Printed: 12/14/2023
Revision: 12/14/2023

Supersedes Revision: 03/15/2023

11. Toxicological Information

Toxicological Information: Epidemiology: No information found.

Teratogenicity: No information available. Reproductive Effects: Mutagenicity:

Neurotoxicity:

Carcinogenicity/Other

CAS# 1310-58-3: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7681-52-9:

Information:

Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

CAS#	S # Hazardous Components (Chemical Name)		IARC	ACGIH	OSHA
7681-52-9	Sodium hypochlorite	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Environmental: No information found. Information: Physical: No information found.

Other: No information available.

13. Disposal Considerations

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified

as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Hypochlorite solutions.

DOT Hazard Class: 8 CORROSIVE

UN/NA Number: UN1791 Packing Group: III



LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: HYPOCHLORITE SOLUTIONS.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Compounds, Cleaning Liquid. (Contains Potassium Hydroxide.) mixture.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS # Hazardous Components (Chemical Name)		S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7681-52-9	Sodium hypochlorite	No	Yes NA	No

This material meets the EPA [] Yes [X] No Explosive

'Hazard Categories' defined [] Yes [X] No Flammable (gases, aerosols, liquid, or solid)

for SARA Title III Sections [] Yes [X] No Oxidizer (liquid, solid or gas) **311/312 as indicated:** [] Yes [X] No Self-reactive

1 Ves IVI No Pyrophoric (liquid or solid

[] Yes [X] No Pyrophoric (liquid or solid)

[] Yes [X] No Pyrophoric gas [] Yes [X] No Self-heating [] Yes [X] No Organic peroxide [] Yes [X] No Corrosive to metal

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 6 Printed: 12/14/2023

Supersedes Revision: 03/15/2023

Revision: 12/14/2023

	[] Yes [X] No	Gas under p	pressure (compressed gas)	
	[] Yes [X] No	In contact with water emits flammable gas		
	[] Yes [X] No	Combustible Dust		
	[] Yes [X] No	(Physical) H	lazard Not Otherwise Classified (HNOC)	
	[] Yes [X] No	Acute toxici	ty (any route of exposure)	
	[X] Yes [] No	Skin Corros	ion or Irritation	
	[] Yes [X] No	Serious eye	damage or eye irritation	
	[] Yes [X] No	Respiratory	or Skin Sensitization	
	[] Yes [X] No	Germ cell m	nutagenicity	
	[] Yes [X] No	Carcinogeni	city	
	[] Yes [X] No	Reproductiv	re toxicity	
	[] Yes [X] No	Specific targ	get organ toxicity (single or repeated exposure)	
	[] Yes [X] No	Aspiration F	lazard	
	[] Yes [X] No	Simple Aspl	nyxiant	
	[X] Yes [] No	(Health) Ha	zard Not Otherwise Classified (HNOC)	
CAS#	Hazardous Components (Chemica	al Name)	Other US EPA or State Lists	
7681-52-9	Sodium hypochlorite		CAA HAP,ODC: No	
			CWA NPDES: No	
			TSCA: Yes - Inventory	
			CA PROP.65: No	
	1			


16. Other Information

Revision Date: 12/14/2023

Preparer Name: Michael Kirk 281-261-4747

Hazard Rating System:

HEALTH 2
FLAMMABILITY 0
REACTIVITY 0
PPE



HMIS:

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer:

DISCLAIMER: To the best of our knowledge, the information cotained herin is accurate. There is no assumption of liability for accuracy contained within this information. The information given is designed only as a guidance for safe handlilng, use, processing, storage, transportation, disposal and release and is not be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.