

Page: 1 Printed: 12/14/2023 Revision: 12/14/2023

GHS format

Supersedes Revision: 02/17/2023

1. Product and Company Identification

Product Code: S304

Product Name: X-CEL ULTRA LAUNDRY DETERGENT

Company Name: Sunbelt Laboratories Phone Number: P.O. BOX 1563 (281)261-4747

Stafford, TX 77497

Web site address: www.sunbelt-labs.com

Emergency Contact: CHEM-TEL (800)255-3924

2. Hazards Identification

Skin Irritation, Category 2 Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: Causes skin irritation.

Causes serious eye irritation.

GHS Precautionary Phrases: Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Specific treatment see ... on this label.

If skin irritation occurs, get medical advice/attention.

If eye irritation persists, get medical advice/attention.

Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal

Phrases:

No phrases apply.

Potential Health Effects (Acute and Chronic):

Hazards not otherwise classified (HNOC) or not covered by GHS.

Prolonged or repeated skin contact may cause defatting and dermatitis. May cause

anemia and other blood cell abnormalities.

Repeated inhalation may cause chronic bronchitis.

Chronic: Prolonged exposure may produce a narcotic effect. Prolonged or repeated exposure may cause nausea, dizziness, and headache. May cause kidney damage.

Inhalation: May cause allergic respiratory reaction. May cause drowsiness, unconsciousness, and

central nervous system depression. Vapors may cause dizziness or suffocation. Causes irritation of the mucous membrane and upper respiratory tract. Low hazard for normal industrial handling. May be harmful if inhaled. Causes respiratory tract irritation.

Skin Contact: Causes redness and pain. May cause skin irritation. Low hazard for usual industrial

handling. May be harmful if absorbed through the skin.

Eye Contact: Causes eye irritation.

Ingestion: May cause gastrointestinal irritation with nausea, vomiting and diarrhea. May cause

central nervous system depression, characterized by excitement, followed by headache,

dizziness, drowsiness, and nausea. Advanced stages may cause collapse,

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.



Page: 2 Printed: 12/14/2023 Revision: 12/14/2023

Supersedes Revision: 02/17/2023

unconsciousness, coma and possible death due to respiratory failure. May cause irritation of the digestive tract. Low hazard for usual industrial handling. May be harmful if swallowed.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
7758-29-4	Sodium phosphate, Tribasic	1.0 -5.0 %
6834-92-0	Silicic acid (H2SiO3), Disodium salt	1.0 -3.0 %
111-76-2	Ethanol, 2-Butoxy-	1.0 -5.0 %
68025-51-4	Phosphate ester	0.2 -1.2 %
1300-72-7	Sodium xylenesulfonate	1.0 -10.0 %

4. First Aid Measures

Emergency and First Aid Procedures:

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of

dangerous area.

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If breathing is difficult, give

oxygen. Get medical aid if cough or other symptoms appear. If breathed in, move person

into fresh air. Consult a physician.

In Case of Skin Contact: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing

contaminated clothing and shoes. Wash clothing before reuse. Get medical aid if irritation develops or persists. Wash off with soap and plenty of water. Consult a

physician.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid. If irritation develops, get medical aid. Rinse thoroughly

with plenty of water for at least 15 minutes and consult a physician.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by

mouth to an unconscious person. Get medical aid if irritation or symptoms occur. Rinse

mouth with water. Consult a physician.

Signs and Symptoms Of

Exposure:

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11 Gastrointestinal disturbances. To the best of our

knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

Note to Physician: Treat symptomatically and supportively. Move out of dangerous area. Consult a

physician. Show this safety data sheet to the doctor in attendance.



Page: 3 Printed: 12/14/2023 Revision: 12/14/2023

Supersedes Revision: 02/17/2023

5. Fire Fighting Measures

Flash Pt:

ΝE

Explosive Limits:

LEL: No data.

UEL: No data.

Autoignition Pt:

NE

Suitable Extinguishing Media: Use water spray to cool fire-exposed containers. Substance is noncombustible; use

agent most appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Vapors can travel to a source of ignition and flash back. Will burn if involved in a fire. Containers may explode in the heat of a fire. Flammable liquid and vapor. May form explosive peroxides. Vapors may be heavier than air. Wear self

contained breathing apparatus for fire fighting if necessary.

Further information:

Flammable Properties and

Hazards:

Products:

Carbon oxides.

Hazardous Combustion

Hazardous decomposition products formed under fire conditions. Carbon oxides,

Sodium oxides.

Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

accumulate in low areas. For personal protection see section 8.

Environmental Precautions:

Steps To Be Taken In Case Material Is Released Or

Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. A vapor suppressing foam may be used to reduce vapors. Avoid generating dusty conditions. Do not let this chemical enter the environment. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Personal precautions. Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist

or gas. Ensure adequate ventilation. Avoid breathing dust.

Environmental precautions. Do not let product enter drains.

Pick up and arrange disposal without creating dust. Sweep up and shovel.

Handling and Storage

Precautions To Be Taken in Handling:

Wash thoroughly after handling. Use only in a well-ventilated area. Ground and bond containers when transferring material. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Take precautionary measures against static discharges. Keep away from heat, sparks and flame. Avoid contact with clothing and other combustible materials. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Minimize dust generation and accumulation. Use with adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 4 Printed: 12/14/2023

Revision: 12/14/2023

Supersedes Revision: 02/17/2023

preventive fire protection.

Precautions To Be Taken in Storing:

Keep away from sources of ignition. Store in a tightly closed container. Keep from contact with oxidizing materials. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area. Store in a cool, dry place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Hygroscopic.

8. Exposure Controls/Personal Protection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7758-29-4	Sodium phosphate, Tribasic	No data.	No data.	No data.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
68025-51-4	Phosphate ester	No data.	No data.	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.

Respiratory Equipment

(Specify Type):

Use respirators and components tested and approved under appropriate government

standards such as NIOSH (US) or CEN (EU).

Eye Protection:

Wear chemical splash goggles. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure. Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact:

Material: Nitrile rubber Minimum layer thickness: 0.4 mm.

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Other Protective Clothing:

Wear appropriate protective clothing to prevent skin exposure. The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Engineering Controls (Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and

a safety shower. Use adequate ventilation to keep airborne concentrations low.

Work/Hygienic/Maintenance

Practices:

Handle in accordance with good industrial hygiene and safety practice. Wash hands

before breaks and at the end of workday.

Environmental Exposure Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.



Page: 5 Printed: 12/14/2023

Revision: 12/14/2023 Supersedes Revision: 02/17/2023

9. Physical and Chemical Properties

[X]Liquid Physical States: [] Gas [] Solid

Appearance and Odor: Red.

distinctive odor.

12 pH: NE Melting Point:

Boiling Point: > 212.00 F (100.0 C)

Flash Pt: NE

Not established **Evaporation Rate:** No data available. Flammability (solid, gas):

LEL: No data. UEL: No data. **Explosive Limits:** Not established

Vapor Pressure (vs. Air or

mm Hg):

Vapor Density (vs. Air = 1): Not established

Specific Gravity (Water = 1): 1.04 at 77.0 F (25.0 C)

Solubility in Water: soluble Octanol/Water Partition No data.

Coefficient:

Percent Volatile: 86.0 % by volume.

Autoignition Pt: NE **Decomposition Temperature:** No data. Viscosity: No data.

10. Stability and Reactivity

Unstable [] Stable [X] Stability:

Conditions To Avoid -Incompatible materials, ignition sources, Excess heat, combustible materials, dust

generation, Heat, flames and sparks. Extremes of temperature and direct sunlight. Avoid Instability:

moisture.

Avoid:

Incompatibility - Materials To Strong oxidizing agents, Nitric acid, Isopropanol is susceptible to autoxidation and therefore should be classified as peroxidizable. bromine trifluoride, Strong acids, Sulfuric

acid, potassium permanganate, Acid anhydrides, Aluminum, Halogenated compounds,

Acids. Alkali metals, Ammonia, Peroxides.

Hazardous Decomposition or Carbon monoxide, irritating and toxic fumes and gases, Hydrogen chloride, chlorine,

Byproducts:

Carbon dioxide, Other decomposition products: No data available. In the event of fire:

see section 5. formed under fire conditions. Carbon oxides,

Sodium oxides.

Possibility of Hazardous

Reactions:

Will occur [] Will not occur [X]

Conditions To Avoid -Product will not undergo polymerization. Vapors may form explosive mixture with air. No

data available. Hazardous Reactions:



Page: 6 Printed: 12/14/2023

Supersedes Revision: 02/17/2023

Revision: 12/14/2023

11. Toxicological Information

Toxicological Information: Germ cell mutagenicity: No data available.

Reproductive toxicity. Aspiration hazard:

Irritation or Corrosion: Skin corrosion/irritation. Provide adequate ventilation.

Result: Mild eye irritation Serious eye damage/eye irritation Eyes -rabbit. Serious eye

damage/eye irritation: Eyes - rabbit -

Result: Eye irritation - 24 h. No data available.

Sensitization: No data available.

Chronic Toxicological

Specific target organ toxicity - single exposure: Inhalation. Oral. May cause drowsiness

Effects: or dizziness.

Specific target organ toxicity - repeated exposure: No data available.

Carcinogenicity/Other Information:

CAS# 95-63-6: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 67-63-0: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 68131-39-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 92-71-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 1806-34-4: Not listed by ACGIH, IARC, NTP, or CA Prop 65. CAS# 7447-40-7: Not listed by ACGIH, IARC, NTP, or CA Prop 65. IARC: 3 -Group 3: Not classifiable as to its carcinogenicity to humans. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Carcinogenicity.

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7758-29-4	Sodium phosphate, Tribasic	n.a.	n.a.	n.a.	n.a.
6834-92-0	Silicic acid (H2SiO3), Disodium salt	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	n.a.	n.a.
68025-51-4	Phosphate ester	n.a.	n.a.	n.a.	n.a.
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Environmental: Bioconcentration in aquatic organisms is moderate to high based on BCF values of 31-275, measured in carp. 1,2,4-Trimethylbenzene is expected to

photodegrade in natural waters. If released to the atmosphere, 1,2,4-trimethylbenzene

will exist solely in the vapor phase in the ambient atmosphere. Vapor-phase

1,2-trimethylbenzene is degraded in the atmosphere by reaction with

photochemically-produced hydroxyl radicals and nitrate radicals with half-lives of about

12 hours and 6-30 days, respectively. Physical: No information available.

No information available.

Other: Do not empty into drains.

Results of PBT and vPvB

PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted.

Persistence and

No data available.

Degradability:

assessment:

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Licensed to SUNBELT LABORATORIES: MIRS MSDS, (c) A V Systems, Inc.

GHS format



Page: 7
Printed: 12/14/2023
Revision: 12/14/2023

Supersedes Revision: 02/17/2023

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed. Product:

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a

Specific target organ toxicity (single or repeated exposure)

licensed professional waste disposal service to dispose of this material.

Contaminated packaging: Dispose of as unused product.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7758-29-4	Sodium phosphate, Tribasic	No	Yes NA	No
6834-92-0	Silicic acid (H2SiO3), Disodium salt	No	No	No
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
68025-51-4	Phosphate ester	No	No	No
1300-72-7	Sodium xylenesulfonate	No	No	No

This material meets the EPA [] Yes [X] No Explosive 'Hazard Categories' defined [] Yes [X] No Flammable (gases, aerosols, liquid, or solid) for SARA Title III Sections Oxidizer (liquid, solid or gas) [] Yes [X] No 311/312 as indicated: [] Yes [X] No Self-reactive [] Yes [X] No Pyrophoric (liquid or solid) [] Yes [X] No Pyrophoric gas [] Yes [X] No Self-heating [] Yes [X] No Organic peroxide [] Yes [X] No Corrosive to metal [] Yes [X] No Gas under pressure (compressed gas) [] Yes [X] No In contact with water emits flammable gas [] Yes [X] No Combustible Dust [] Yes [X] No (Physical) Hazard Not Otherwise Classified (HNOC) [] Yes [X] No Acute toxicity (any route of exposure) [X] Yes [] No Skin Corrosion or Irritation [X] Yes [] No Serious eye damage or eye irritation [] Yes [X] No Respiratory or Skin Sensitization [] Yes [X] No Germ cell mutagenicity [] Yes [X] No Carcinogenicity [] Yes [X] No Reproductive toxicity

Aspiration Hazard

Simple Asphyxiant

[] Yes [X] No

[] Yes [X] No [] Yes [X] No



Page: 8 Printed: 12/14/2023

Revision: 12/14/2023 Supersedes Revision: 02/17/2023


[] Yes [X] No (Health) Hazard Not Otherwise Classified (HNOC)			
CAS#	Hazardous Components (Chemical Name)	Other US EPA or State Lists	
7758-29-4	Sodium phosphate, Tribasic	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No	
6834-92-0	Silicic acid (H2SiO3), Disodium salt	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No	
111-76-2	Ethanol, 2-Butoxy-	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No	
68025-51-4	Phosphate ester	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No	
1300-72-7	Sodium xylenesulfonate	CAA HAP,ODC: No CWA NPDES: No TSCA: Yes - Inventory CA PROP.65: No	

16. Other Information

Revision Date: 12/14/2023

Hazard Rating System:

HEALTH 2
FLAMMABILITY 0
REACTIVITY 1
PPE



Additional Information About No data available.

HMIS:

This Product:

Company Policy or

Disclaimer:

DISCLAIMER: To the best of our knowledge, the information cotained herin is accurate. There is no assumption of liability for accuracy contained within this information. The information given is designed only as a guidance for safe handlilng, use, processing, storage, transportation, disposal and release and is not be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.